

**SAINT JOHNS – SIX MILE CREEK WEST PROPERTY OWNERS ASSOCIATION, INC
(HERITAGE LANDING)**

**RULES AND REGULATIONS
ARCHITECTURAL GUIDELINES**
Amended and Approved on July 20, 2020

WHEREAS, Article VI, Section 9 of the Bylaws for Saint Johns -Six Mile Creek West (Heritage Landing) Property Owners Association, Inc. authorizes the Saint Johns - Six Mile Creek West (Heritage landing) Property Owner's Association Inc. ("Association"), through its Board of Directors ("Board"), to promulgate rules and regulations with respect to the Association as it determines to be in the best interests of the Association and the Homeowners;

WHEREAS, the Board has deemed it necessary to establish appropriate rules and procedures for the Association.

WHEREAS, the Board, by not less than a majority of the Board, at a Duly called Meeting of the Board addition to those restrictions already provided in the Declaration of Covenants and Restrictions, more specifically found in Article V and Article IX., at which quorum was present, affirmatively voted to adopt the foregoing Rules and Regulations, in

ARCHITECTURAL

Nothing herein shall be construed to supersede, waive, void or amend any requirements of any applicable governmental zoning or building law, regulation or ordinance, all of which must be complied with by each owner of a lot, improved, or unimproved, within the Community (each, an "owner"), at the Owner's sole cost and expense.

No landscaping Improvement or structure of any kind shall be made without the submission and approval of an application, to the Architectural Review Committee, accompanied by any relevant plans, specifications, photographs or drawings, and an official site survey. Submission of an application is free of charge. Failure to submit the appropriate application PRIOR TO commencement of work will result in an automatic review by the Enforcement Committee a possible fine and an administrative fee of \$50 - \$250, depending on the type of change involved.

1. PROCESSING

- A. **PLANS SUBMITTAL REQUIRMENTS:** Unless otherwise exempt pursuant to the applicable covenants, conditions, and restrictions of record, the homebuilder or homeowner will submit comprehensive construction plans and specifications. No application will be approved if a homeowner has an outstanding balance or an active outstanding violation according to Association's records.
- B. The homebuilder shall make one (1) submittal for each model to be sold. Plans must include the items and information listed below:
 - 1) **Architectural Construction Plans:**
 - A. **Plot Plan:** Indicate the location of the house on the lot. Indicate all easements, setbacks building restriction lines, drives, walks, patios, mechanical equipment, also walls, pools, and fences when applicable. Indicate the percentage of total lot coverage.

- B. Square Footage:
 - i. Heated and cooled living area.
 - ii. Garage (minimum two (2) car)
 - iii. Patios or enclosures
 - iv. Total over all square footage:

Lot Width	Minimum Home Size
40'	1200 Sq. Ft.
50'	1400 sq. Ft.
60'	1600 Sq. Ft.
70'	1800 Sq. Ft.
80'	2200 Sq. Ft.

- C. Dimensioned Floor Plans at 1/4" scale:
 - i. Mechanical equipment

- D. Dimensioned Elevations at 1/4" scale:
 - i. Roof pitch (minimum 4 / 12)
 - ii. Height of structure (maximum 35 Ft.)
 - iii. Pattern of window mullions

- E. Typical wall section

- F. Window and exterior door schedule

2) Specification and Color Package Submittal:

- a. Maser Color Book :
 - i. Stucco body colors
 - ii. Trim colors
 - iii. Accent colors for doors and shutters

- b. Roof Color Samples (no blues and greens):
 - i. Manufacturer and warranty specifications
 - ii. Material (asphalt shingle, tile, etc.)

- c. Building Material List of Specifications and Manufacturers:
 - i. Windows (style and color)
 - ii. Exterior door styles
 - iii. List of brick colors and manufacturer
 - iv. list of stone colors and manufacturer

3) Basic Architectural Standards:

- A. HVAC and irrigation equipment must have opaque screen enclosure wall, a minimum of 48" in height, which matches the body of the house in color and material. Enclosure must, at a minimum, enclose from both the front and side yard (L- Shaped) or from front, side, and lake for lakefront lots ("C" or "U" Shaped).
 - B. Metal eave drip and all other roof penetrations must be painted the color of the roof. Pre-painted dark brown and black may be used to closely match the roofs color.
 - C. Painted metal chimney caps must match the color of the chimney.
 - D. A top row of window lights must be added to the garage door, regardless of the orientation of the door.
 - E. All houses should be full stucco or have full treatment of the chosen siding for all elevations. Elevations may include brick or stone veneer accents and/or panels. Both brick veneer colors shall be in the beige/tan/cream color palette. Vinyl lap siding is not permitted.
 - F. Architectural feature requirements (i.e. features not clearly shown) shall be no more restrictive and/or costly than the architectural features proposed by other builders within Heritage Landing.
 - G. Minimum of thirty (30) year or greater architectural roof shingles must be used.
 - H. Each front elevation corner shall be wrapped a minimum extension of two (2) feet alongside elevations with any of the front elevation embellishments such as veneers or banding details. The corner wrap shall be terminated and/or combined with a raised panel/vertical element extending the full height of the side wall.
 - I. House colors must be from the approved Sherwin Williams color palette or similar palette. The same elevation and color section package cannot be used on side by side lots or directly across the street from one another.
 - J. Garage door color must match either the body or trim color of the home.
- C. **REVIEW PROCEDURE FOR PLANS:** The ARC's approval of the plan shall not be construed to supersede, waive, void or amend any requirements of any applicable governmental zoning or building law, regulation or ordinance, all of which must be complied with by the Owner at Owner's sole cost and expense.

2. SITE

- A. **ZONING:** Existing zoning requirements we be considered as per County Zoning Ordinance as well as approved PUD, if any.
- B. **SITE CONDITIONS:** Existing pavers and drainage may not be altered in any way. Owners shall refer to site development drawings for any information about these areas. Prior to construction, no tree shall be removed from any lot without the Associations written consent.
- C. **PARKING:** No parking is permitted in areas where the subdivision's drainage flow may be interrupted. Driveway extensions are subject to review and approval by the ARC. No vehicles may be parked on any portion of a lot except within a garage or entirely on a driveway. No vehicles or any portion thereof may be parked on any grassed portion of a lot.

D. SETBACK REQUIREMENTS:

- 1) lot setback requirements are measured in accordance with the County land Development Code. Corner lots shall permit one vehicular access only. The frontage on the road used for access shall be considered the front yard and shall have the required minimum front yard setbacks.
- 2) Pools and pool/patio enclosures:
 - I. Front - No pool, pool deck or patio enclosures may be located within the front yard.
 - II. Side - Subject to County permitting requirements.
 - III. Rear - Subject to County permitting requirements.
- 3) Pool Decks:
 - I. Front - No pool, pool deck or patio enclosure may be located within the front yard.
 - II. Side - Subject to County permitting requirements.
 - III. Rear - Subject to County permitting requirements.

3. LANDSCAPING:

- A. **REQUIREMENTS:** All landscaping will be in accordance with the requirements of the County land and Development Code. Driveways and walks shall be four inch (4") poured concrete. Patterns or alternative paving surfaces may be used subject to approval. Asphalt pavement is not permitted. Front, side, and rear elevations on lakefront lots shall comply with minimum hedge, shrub, and tree requirements.
- B. **PLANT MATERIAL:** All plant material installed shall be Florida No. 1 grade or better. Yards shall be completely sodded with St. Augustine Floratam, Bermuda Zoysia or Centipede sod or plugs. Shrubs and hedges shall be a minimum height of twenty-four inches (24") immediately after planting. Tress shall be a minimum height of eight feet (8') when planted. Species whose root systems are known to cause damage to improvements such as roadways, foundations, driveways and the like shall not be used within fifteen feet (15') of those improvements. Trees with invasive root systems, however, can be used in large open yards far from any improvements. Yards may only be re-seeded to remediate portions covered by weeds or dead material if such area(s) of the yard do not exceed 20% of the lot measured from the front perimeter wall of the house to the side and front edges of the lot boundaries. Otherwise, such areas of the yard must be remediated by installing an approved sod type. **Replacement of sod using an approved sod type does not require ARC approval.**
- C. **IRRIGATION:** All lake lots shall extend irrigation coverage to the water's edge. The irrigation system may utilize reclaimed water and shall be automatically controlled by a time clock.
- D. **LANDSCAPING LIGHTING:** lighting is to be low-key and should be used to accent entrances and special features. Intensity should be no greater than require for pedestrian safety, other than on accent landscape. The scale of this lighting should be at pedestrian level. Exterior lighting must be shielded from adjacent properties.
- E. **MULCH & FLOWER BEDS:** Mulch and flower beds must be finished with landscaping rock, pine straw, bark, cypress, or rubber mulch. The color and style of which must be approved by the Architectural Review Committee. Unless otherwise approved by the ARC, the cumulative area of flower and mulch beds shall not exceed 30% of the front portion of the lot, which shall be

defined as the portion of the lot measured from the front perimeter wall of the house to the side and front edges of the lot boundaries.

- F. **RECOMMENDED LANDSCAPE MATERIAL:** Minimum of three (3) to seven (7) trees, depending on the lot size; or the minimum required by County land Development Code, whichever is greater. At least one (1) of the trees must be hardwood located in the front yard of each home (front yard includes first 8 feet on either side of the home). Consider: (1) native species and evergreens ;(2) resistance to insects and diseases; (3) cold hardiness; (4) adaptability to existing soil conditions; and (5) life expectancy.

Recommended **Plant List**

Consider: soil conditions and preparation for adequate drainage

Botanical Name	Common Name
1. Ground Covers	
a) Asparagus Sprengeri	Asparagus Fern
b) Liex Cornuta Rotunda	Dwarf Holly
c) Juniperus	Various Juniper Ground
d) Liriope	Lily Turf
e) Pyracantha Walderii	Walders Dwarf Pyracantha
2. Evergreen Trees	
a) Cilmamomum Camphora	Camphor
b) Eriobotrya Japonica	Loquat Tree
c) Ligustrum Japonicum	Wax Leaf Privet
d) Ligustrum Lucidum	Glossy Privet
e) Magnolia Grandiflora	Magnolia
f) Magnolia Viginiana	Sweet Bay
g) Pinu Elliottiif	Slash Pine
3. Palms	
a) Livistona Chinensis	Chinese Fan Palm
b) Dutia Capitata	Pindo Palm
c) Chamacrops Humilis	European Fan Palm
d) Sabal Palmetto	Cabbage Palm
e) Phoenix Robenimum	Pigmy Date Palm
f) Washingtonia Robusta	Mexican Fan Palm
g) Cycas Revoluta	Sago Palm
4. Shurbs	
a) Raphiolepsi Indica	Indian Hawthorne
b) Cocculus Laurifolius	Snail Seed
c) Cortaderia Selloana	Pampas Grass
d) Eleagnus Pungens	Silver-thorn
e) Llex Burfordii	Burford Holly

f) Ilex Vomitoria	Yaupon Holly
g) Juniperus Spp.	Various Juniper Shrubs
h) Ligustrum Lucidum	Glossy Privet
i) Mahonia Bealei	Leatherleaf Mahonia
j) Myrica Cerifcra	Wax Myrtle
k) Nandina Oomestica	Heavenly Bamboo
l) Neriuln Oleander	Oleander
m) PhotiniaGlabra	Red Photinia
n) Pittosporum Spp.	Various Pittosporum
o) Pyracantha Coccinea	Firethorn
p) Trachelospermum Jasminoides	Confederate Jasmine
q) Viburnum Suspensum	Sweet Viburnum
r) Viburnum Odoratissmum	Sandankwa Viburnum
5.Shade Trees	
a) Quercus Virginiana	live Oak
b) Quercus Laurifolia	Laurel Oak
c) Acer Rubrum	Red Maple
d) Betula Nigra	River Birch
6.Ornamental Trees	
a) Pyrus Calleryiana	Bradford Pear
b) Photinia Fraseri	Tree Phontinia (Red Tip)

4. STRUCTURES:

- A. **ROOF, ROOFING, GUTTERS AND DOWNSPOUTS:** Roof forms must be designed to provide similar character on all elevations and this character shall be carried out through the pitch, material, color, and applied features.
- i. **STRUCTURE:** Roof structure shall be built out of conventional frame construction or pre-manufactured woodtrusses.
 - ii. **STYLE:** Suggested roof styles are gabled, hip, and flat with parapets on limited applications. Homebuilders should be aware that the same type of roof style may not be repeated in consecutive lots, in any one side of the street. Mansard, Gambrel and Dutch Hip roof styles are not allowed Conical type of roof may be considered, depending on its application, by the ARC.
 - iii. **MATERIALS:** Finish materials for pitched roofs must be consistent throughout the Community. These can be flat or barrel cement tile, standing seam galvanized aluminum, cedar shake, or architectural fungus resistance shingles with 25- year warranty or better. Copper may be used only on roof features like cupolas, dormers, bay windows, etc. Neither Flat shingles nor gravel roofs shall be used within the Community. Other materials not specifically mentioned are subject to review and approval by the ARC. light, green, or blue colored composition shingles shall not be used in the community. All patio and lanai roofing must match the roofing material

- of the main structure. After-market patio enclosures with pan type roofing will not be allowed.
- iv. **PITCH:** The minimum roof pitch in the Community shall be 4/12.

B. FEATURES:

- i. **CUPOLAS:** Cupolas with fixed panes or louvers may be used. Shapes and sizes will vary according to the size of roof and shall be reviewed by the ARC.
- ii. **DORMERS:** Gable and hip dormers are allowed on roofs. Other types maybe considered but are subject to review and approval by the ARC.
- iii. **CHIMNEYS:** All chimney stacks shall be the same color as the base of the chimney structure and when located at an exterior wall it shall extend to grade and shall be supported by foundation. The material shall be stucco, stone, brick, or incombustible lap siding to match the exterior of the residence. Chimney caps may Incorporate stone, metal, or clay.

C. ACCESSORIES:

- i. **VENTS AND PIPES:** These types of roof accessories extending through the roof shall be painted to match the color of the roof.
- ii. **VALLEYS AND FLASHINGS:** These types of roof accessories attached to the roof shall be painted to match the color of the roof.
- iii. **DOWNSPOUTS AND GUTTERS:** These types of accessories attached to eaves and walls shall be painted to match the color of the surface to which they are attached or to the color of the house trim.
- iv. **EQUIPMENT:** Roof top mechanical equipment must be located so it will not be visible from the street, sidewalk, or adjacent property.
- v. **LOCATION:** A.C. equipment, irrigation or pool pumps located at ground level shall be shielded by landscape or masonry walls.

D. EXTERIOR WALLS:

STRUCTURAL WALL: All exterior structural walls shall be constructed to concrete masonry units (CMU), wood or steel framing systems pursuant to building codes established by the County. The following requirements apply to all exterior walls and all kinds of facade applications for all structures. All elements of all elevations shall complete a total and continuous design. All materials must comply with the Standard Building Code. All exterior finishes will be consistent in color schemes, texture, compositions, and character throughout the Community. All exterior finishes will be subject to review and approval by the ARC. Exposed concrete block walls are not permitted nor walls with any other type of exposed modular concrete units. Not metal finishes are allowed.

- i. **APPROVED FINISHES ARE AS FOLLOWS:**
 - a. Brick
 - b. Stone
 - c. Stucco
 - d. Horizontal lap siding {wood or smooth hardy board material only}

- ii. All wood or exterior siding will be finished, painted, stained, or otherwise protected from the elements of nature. The houses in the Community shall either have all-brick or brick and siding, all stucco and siding, all stone or stone and siding, or brick, stone, and stucco on their exterior walls. However, the finish materials in each elevation will be limited to two (2). If lap siding is to be incorporated in the rear elevation of the house, then the side elevation must incorporate the same lap siding.

When using siding on the front of the home in combination with brick, stone or stucco, the siding should be an appropriate compliment to the architectural style of the home. Lots 446-457; 460-486; 489-501, located in Phase IV, shall be the only lots permitted to have stucco fronts only. The architectural submittal should indicate the type of siding to be used with each elevation. Vertical siding is not allowed.

- iii. When using combinations of brick and siding, or brick and stucco on the front elevation, the brick shall wrap around twenty-four inches (24") minimum to the side elevations. When using stucco and siding, the stucco shall wrap around twenty-four inches (24") minimum to the side elevations. When using stone, the stone shall wrap around twenty-four inches (24") minimum to the side elevations.

- E. **WINDOWS AND WINDOW TREATMENTS:** All windows shall be insulated glass with standard color consisting of white, sand, or bronze in anodized aluminum, vinyl clad, or painted wood. Exterior painted wood or fiberglass shutters may be used if the width of the shutters is no more than ½ the width of the window. All exterior windows shall be double pane. All garage windows shall be covered. Blinds and/or shutters must be white, off-white, or stained in color. Fabric window coverings must be lined with white or off-white lining. No flags, unlined fabrics, sheets, aluminum foil or the like may be placed or hung in the windows. Deviation from the standard criteria must meet with ARC approval.
- F. **GARAGES:** All lots shall have at a minimum a two (2) car garages. Metal or fiberglass covered carports are not allowed.
- G. **DOORS:** Entrance doors shall be compatible with the design and color and made of solid wood, fiberglass, or insulated metal. Glass inserts may be included.
- H. **SCREENED ENCLOSURES:** Screened enclosures shall be permitted on the rear patio and/or pool, subject to review and approval by the ARC. No screened enclosures shall be permitted on the front or sides of the house. Screened enclosures may be installed in the rear of the house subject to ARC approval but shall not be permitted to extend beyond the planes of the exterior perimeter side walls of the home. The roof of the enclosure may be a screen roof or must be a permanent roof with shingles matching the main structure in color and style. All screen enclosures must have a black or dark anodized bronze framework. Screen material must be dark charcoal in color. After-market patio enclosures with pan-type roofing are prohibited. Screened roofing may also be used with pool screen enclosures. Screen enclosures facing Preserves may have composite roofs. Composite roofing may also be used for screened patios on homes that back up to other homes or across a lake subject to ARC approval. However, in these cases, shingles must be applied and match the main structure in color and style.

- I. **AWNINGS:** Awnings shall be permitted subject to the discretion of the ARC.
- J. **DETACHED STRUCTURES:** Any free-standing structure contemplated for property such as, but not limited to, a shed, pavilion, gazebo, platform, playhouse, storage room, cabana, etc., must be submitted for approval with the required drawings and information to the ARC. See Addendum C for specifications.

Pergolas: Recommended height for Pergolas is 10 ft, material can be wood or aluminum, approved colors are Black, White, or clear coated/sealed wood.

- K. **FENCING AND GARDEN WALLS:** Fencing and garden walls shall be designed as an extension of the architectural mass of the house and shall be detailed to unify the site design with the architecture of the house. Use of these elements to enclose space and provide for variety in the scale of the interior space is encouraged. All proposed fencing and garden walls shall be shown on the design documents.

Property types in the Community, for fence design purposes, are identified as:

Comer Lot - any lot at an intersection of two streets or where the lot is on the exterior of a curve where the linear footage of the property line facing the street is more than 1.5 times greater than the linear footage of the rear property line. This definition is not intended to apply to a lot on a cul-de-sac or other interior comer unless the lot is bordered by more than one street.

Lake Abutting Lots - any lot where any portion of the lot property abuts any portion of COD lake property.

Non-Lake Abutting lots - all other lots in the Community.

DESIGN: The fence types authorized for fencing of private lots within the Community are as follows:

Lake Abutting Lots (two options) -

Non privacy Option - Black, flat top aluminum, 3 rails (one rail on the bottom, two rails on top that are six inches (6") apart, five foot (5') maximum height bottom to top.

Privacy Option - Beige or white vinyl, tongue & groove privacy fencing, six foot (6') high. Panels may be six ft. (6') or eight ft. (8') wide. Wood may be used in lieu of vinyl. Wood fencing sections must meet the same height and width requirements as vinyl. Wood fences must be stained (close to natural color) and/or sealed with a clear coat of wood sealant and must be maintained so as to avoid graying. Owners may request to install panels with five ft. (5') privacy and one ft. (1 ') lattice top sections. This option may be used for vinyl or wood. Privacy panels must transition to the aluminum (five ft. (5') maximum) over one vinyl section and must end no closer than twelve ft. (12') from the six ft. (6') Lake Maintenance and Access Easement. Privacy sections must conform to front setback requirements. ***See note below concerning wood fencing.*

Corner Lots & Non-Lake Abutting Lots (options)-

(1) Black, flat top aluminum, 3 rails (one rail on the bottom, two rails on top six inches (6") apart, five ft. (5') minimum, six foot (6') maximum height bottom to top.

(2) Beige or white vinyl, tongue & groove privacy fencing, six foot (6') high. Panels may be six ft. (6') or eight ft. (8') wide. Wood may be used in lieu of vinyl. Wood fencing sections must meet the same height and width requirements as vinyl. Wood fences must be stained (close to natural color) and/or sealed with a clear coat of wood sealant and must be maintained so as to avoid graying. Owners may request to install panels with five ft. (5') privacy and one ft. (1') lattice top sections. **This option may be used for vinyl or wood.** ***See note below concerning wood fencing.*

(3) Semi-Private Option - Owners of non-lake abutting lots may apply to install a fence that combines aluminum (1) and vinyl/wood (2)

IT IS UNDERSTOOD THAT IN SOME CASES ALUMINUM FENCE POSTS ARE HIGHER THAN ALUMINUM FENCE PANELS. ANY OWNER CHOOSING AN ALUMINUM FENCE STYLE THAT HAS PICKETS EXTENDING ABOVE THE TOP RAIL MUST HAVE THE PICKETS NO HIGHER THAN THE POSTS - FOR ANY LOT.

ANY LOT OWNER CONSIDERING A POOL INSTALLATION SHOULD REVIEW COUNTY RULES CONCERNING FENCES PROTECTING POOLS PRIOR TO CHOOSING A FENCE TYPE AND HEIGHT.

Owners must obtain ARC approval prior to the installation of any fencing. Please contact the ARC for pre-approval and to verify your type of lot (if you are unsure). The ARC will provide written specifications for your fence request. In some cases, especially when multiple fence types abut, the HOA may delay an ARC application to allow time to notify your neighbors.

In some instances, the type of fencing for a lot must be determined on a case-by-case basis due to the transitioning of lake lots abutting interior lots, or lots along the main boulevards where the rear of the homes are visible.

Owners must obtain Architectural approval prior to the installation of any fencing. In determining the type of fence on a particular lot, please contact the ARC for pre-approval. The ARC will provide written specifications for your fence request.

SITE LOCATIONS: Fencing shall not extend beyond eight ft. (8') before the front wall plane of the residence; excluding the garage area on an "L" shaped residence, into the front yard. An "L" shaped residence has the garage door perpendicular to the front door. The wall plane where the front entry door is located will be considered the front wall to measure from for the setback. Fencing sections with gates may be installed; gates must be the same style and height of the fencing. Fences cannot define property lines. Any lake abutting fence must be set back a minimum of 1 ft. from the 6 ft. Lake maintenance and Access Easement. Pool enclosures related to children's safety or other reasons shall be subject to consideration by the ARC on an individual basis.

CORNER LOTS: Fencing along the street side property line of corner lots shall be set back five ft. (5').

It is **recommended** that this strip of land shall be planted with a hedge of three (3) gallon shrubs, twenty-four inches (24") minimum height at planting time and spaced at twenty-four inches (24") o.c. The ground shall incorporate mulch around the plants and a strip of groundcover adjacent to the sidewalk. This type of fencing setback shall apply to all models, including courtyard homes.

FENCE REPAIRS: Repairs to existing fences must match the existing fence style, color, and panel size. Existing Wood Fences: Repairs to less than 40% total length of existing wood fences must match to the

existing fence in Style, Color and Panel Size. Repairs greater than 40% of total fence length shall conform to new fencing requirements for construction and finishes.

*****APPLICATIONS FOR NEW WOOD FENCES WILL BE ACCEPTED FOR A PERIOD OF ONE YEAR (365 DAYS) AFTER THE DATE THAT THESE NEW FENCE REGULATIONS ARE ADOPTED. FROM THAT POINT FORWARD, ALL NEW FENCING APPLICATIONS MUST BE FOR INSTALLATION OF VINYL, ALUMINUM, OR A COMBINATION OF VINYL & ALUMINUM. EXISTING WOOD FENCES MUST BE MAINTAINED, IF AN EXISTING WOOD FENCE FALLS INTO DISREPAIR, THE OWNER WILL BE REQUIRED TO REPLACE THE WOOD FENCE WITH VINYL (THE ENTIRE FENCE, NOT JUST PARTIAL). THE HOA BOARD OF DIRECTORS WILL HAVE FINAL SAY ON WHETHER A FENCE IS DEEMED TO MEET THIS REQUIREMENT.***

FENCE GATES: Gate must be the same height of the fence and top of the gate is to be level with the top of the fence.

L. RECREATION STRUCTURES: All recreation structures (excluding basketball backboards) shall be located at the rear of the dwelling, or on the inside portion of a corner lot within the outside wall plane of the home. No platform, doghouse, tennis court, playhouse or structure of a similar kind or nature (except basketball backboards) shall be constructed on any part of the lot located in the front of the rear line of residence constructed hereon and shall be constructed so as to not adversely affect the adjacent lots or the use thereof. Any such structure must have prior approval of the ARC and without limiting any other criteria for approval; the ARC shall review the height of such structures to assure the privacy of neighboring homeowners. No basketball backboards may be installed adjacent to the street or on any cul-de-sac. Portable basketball goals may not be at the street or in the Public's right of way but must be standing upright and located at or on the driveway, closer to the house than to the road.

M. OUTDOOR FURNITURE: Outdoor furniture shall not be stored or left in front yards and/or driveways. Outdoor furniture is limited to front porches or back yards, out of sight of the street and within the exterior plan of the house. Outdoor furniture shall include, but not be limited to tables, chairs, loveseats, couches, fire pits, grill, etc.

N. AIR CONDITIONERS/OUTDOOR EQUIPMENT/TRASHCAN-RECYCLE CONTAINER CORRALS: No window or wall air conditioning units are permitted. All exterior air compressors, pool and spa equipment; irrigation pumps and wells, water softener equipment, propane tanks, trash recycling receptacles and other outdoor equipment, which are visible from the street or any adjacent lot shall be shielded from view and surrounded on all exposed sides by either:

- i. seven (7) gallon hedge type plants (minimum of three (3) per exposed side); or
- ii. A fence in compliance with the height and design standards provided in section 4(K) of these Rules regarding fencing; or
- iii. A shadowbox wooden fence or vinyl fence no greater than four (4) ft. tall (no lattice permitted under this paragraph), which must match the color of the existing, approved fencing; or
- iv. a four (4) ft. tall opaque wall enclosure which matches the color and material of the exterior body of the house. The service opening shall not face the street.

The design of the hedge, fence, or wall surround shall be in an "L" or "U" shape to permit a service entrance, which shall not face any street. All fencing used must conform to the front set back requirements. An application to the ARC must be submitted and approved prior to installation of any hedge, fence, or wall surround.

- O. **FIREPLACES AND CHIMNEYS:** It is preferred that the chimney tops be designed so that the flue will be covered from the elements. A detail of the chimney top should be shown. If the flue is exposed, then the chimney design and covering must be of a size and material that is architecturally acceptable. Exposed spark arrestors will not be permitted.
- P. **SWIMMING POOLS AND TENNIS COURTS:** Any swimming pool or tennis court to be constructed on any lot shall be subject to review and approval by the ARC. Above-ground pools are prohibited in the Community; provided, however, that small, portable pools intended for use by young children may be temporarily kept on a lot while being used but must be stored within the home, garage, or in another manner shielded entirely from view from streets, sidewalks, and adjacent lots when not being used. In no event shall any such pool be kept on a lot and not shielded from view overnight.
- Q. **SATELLITE DISHES:** Satellite dishes should be located at the rear of the home if possible.
- R. **CABLE T,V, AND TELEPHONE COMMUNICATION:** The ARC recommends each new Dwelling be pre-wired for cable-TV, telephone. And alarm systems. All exposed wiring will be enclosed in a standard utility box.
- i. **TELEPHONE & CABLE TV:** Each home within the Community shall be pre-wired for cable-TV and telephone service by the homebuilder.
 - ii. **ANTENNAE & DISHES:** The location of satellite dishes must be in an inconspicuous place shielded from view from the street and adjoining properties to the maximum extent possible. The type of dish and location will be reviewed by the ARC. Television antennae may not be visible from the exterior of the house, the street or adjoining properties, provided a quality signal can be received from inside the house. If it can be demonstrated that a quality signal is not achievable from inside a house, one {1} television antenna is allowed in an inconspicuous location. Other types of antennae are not allowed without written approval of the ARC.
- S. **SIGNAGE:** All signage to be installed by the homebuilders or homeowners shall be consistent with the approved SJSMCW (Heritage Landing) sign size, style, and color.
- i. **HOMEBUILDER SIGNS:** Homebuilders may install one (1) sign per lot to display the company name and lot availability, which shall conform to the design, size, height, color, and post details specified by the Association. Homebuilders are responsible for the cost and installation of homebuilder signs and must remove them after the lot is sold to a third party.
 - ii. **REAL ESTATE SIGNS:** "For Sale" or "For /Lease" and "Yard Sale" signs are allowed. One (1) sign per lot that is available for sale or rent/lease is permitted and shall be consistent with the approved sign style and color. Post shall be 4X4"X72" P.T. Post with 2X4" Arm. Colors shall be Black post/ black 10X12" sign/ White vinyl lettering.
 - iii. **OTHER:** Small in-ground personal flags or banners may be placed on a lot close to the home or walkway at a maximum of two (2) per lot. The Board may require the removal of any flag, banner, or advertisement that may be deemed offensive or distasteful in the Board's sole discretion. The American Flag and military flags are permitted in accordance with applicable law. Owners may install up to one {1} sign per

political candidate no fewer than thirty (30) days prior to an election and all political signs must be removed within forty-eight (48) hours following the election. No greater than a total of two (2) holiday, seasonal, or others decorative flags may be hung from the exterior of a home not to exceed 4 ft. by 6ft. in size. Temporary signs for birthdays, yard or garage sales, and similar events are permitted but must be removed within forty-eight (48) hours of the event to which the sign pertains.

- iv. **Signs** for community or school sponsored youth activities are allowed on a seasonal basis during the season that such activity takes place. Sign may not exceed 24"X24" and must be designed for exterior use.

T. **MAILBOXES & HOUSE NUMBERS:** Decorative house numbers must be approved by the ARC. See Addendum A for specifications.

U. **WAIVERS:** The criteria set forth herein are guidelines to which adherence is required pursuant to the recorded covenants, conditions, and restrictions for the Community. The POA (Board of Directors) may waive any requirement set forth herein if, in its opinion, it deems such waiver is in the best interest of the property and the deviation requested is compatible with the character of the property and community.

V. **Holiday Decorations:** Holiday Decorations must be taken down or removed from homes exterior areas no later than 30 days after the holiday. Rule applies to all holidays. The Board may require the removal of any decoration that may be deemed offensive or distasteful in the Board's sole discretion.

5. **MAINTENANCE DURING CONSTRUCTION:** During construction, all debris shall be placed in a single location on the construction site only. Construction dumpsters are preferred. If a homebuilder utilizes a weekly clean-up service, all debris must be contained by a fence or some other type of container to avoid an unsightly appearance and blowing debris. No debris or trash of any kind shall remain on any lot or on sidewalks or streets contiguous thereto. No excess building materials, storage shed, or trash shall remain on any lot, sidewalk, or street. It is the duty of the homebuilder and/or the homeowner to remove or cause to be removed any and all of the above debris within 72 hours of notification by the ARC. Failure to comply with the request will cause removal of debris by action of the ARC and all related costs will be charged to the homebuilder or the homeowner, as applicable.

6. **MISCELLANEOUS:**

A. **LAWN MAINTENANCE:** Homeowners are responsible for maintenance of their lots and irrigation systems all the way to the road edge. Homeowners are also responsible for any damage or discoloration to sidewalks and or road curbing caused by their irrigation system. No weeds, underbrush, refuse pile, or other unsightly vegetation shall be permitted on any lot. Homeowners shall maintain their lots, improvements thereon, and all landscaping in a clean on good workmanlike manner and shall present a neat and clean. and orderly manner to maintain a high degree of aesthetic appearance. Whether any lot is maintained to a high degree of aesthetic appearance in compliance with these rules shall be determined by the Board of Directors in its sole discretion. All yard clippings, fallen tree limbs, and other landscape, lawn, and other debris (collectively, "yard debris"), whether the product of lot maintenance, natural occurrences, or otherwise, must be stored in a manner shielded entirely from view from streets, sidewalks, and adjacent lots; provided, however, that such yard debris may be placed in the appropriate location for collection on the calendar day immediately preceding the calendar day of collection. Any uncollected yard debris must be stored in a manner shielded from view until the day preceding the next day of

collection in accordance with these rules. No yard debris, including but not limited to cut grass and branches, shall be blown onto, or in any way placed upon, any street gutter or storm drain and lot owners shall be responsible for ensuring that any persons performing maintenance upon a lot comply with these rules. If any owner fails to comply with these rules, the Association may enter upon the lot and perform any action necessary to bring the lot into compliance with these rules. The owners of such lot upon which the Association was required to take action to bring the lot into compliance shall be responsible for all associated costs, which shall be payable on demand.

- B. **SALE AND CONSTRUCTION ACTIVITIES:** Notwithstanding any other provisions hereof, the Developer its agents, successors, assigns and designees may maintain such facilities and undertake such activities as may reasonably be required to sell lots or dwellings and to construct improvements thereon within the Community.
- C. **CLOTHES DRYING AREA:** No portion of any lot shall be used as a drying or hanging area for laundry of any kind, unless fully screened from the view of the neighboring owners and from the street.
- D. **ARTIFICIAL VEGETATION:** No artificial grass, plants or other vegetation shall be placed or maintained upon the exterior portion of any lot, unless approved by the ARC.
- E. **TRASH/RECYCLE CONTAINERS:** All trash must be placed in trash bags and all bagged trash and recyclable materials shall be stored in appropriate containers. Trash and recycling containers may NOT be stored in front of garage doors or in any manner visible from any street or adjacent lot; however, such containers may be stored in a manner shielded from view by an approved hedge, fence or wall surround as provided in Section 4(N) of these Rules. Trash and recycling containers may be placed in the appropriate location for collection on the calendar day immediately preceding the calendar day of collection and must be removed and stored in a manner shielded entirely from view by the end of the calendar day immediately following the day of collection. Except during the specific time periods provided herein, all trash and recycling containers must be stored in a manner shielded entirely from view from streets, sidewalks, and adjacent lots.
- F. **PETS - ST JOHNS COUNTY LEASH LAW:** Requires that pets must always be on a leash when outside of the owner's yard, and that owners must pick up after their pets.
- G. **COMMERCIAL VEHICLES:** Article 9.6 of the Association documents states as follows: "*Commercial vehicles shall not be parked within the Property within public view on a regular basis*" Commercial vehicles shall be described as any vehicle weighing one tone or more OR any vehicle used in commerce, with any type of outward, work related, markings, equipment, fixtures or signage. Fire, Rescue and Law Enforcement vehicles, marked or unmarked, are considered non-commercial emergency vehicles and are excluded. "Regular Basis" is described as more than 2 times in a 30-day period.
- H. **VIOLATIONS:** Violations of the Covenants and Restrictions and/or the Architectural Guidelines/Rules & Regulations shall remain open for six (6) months from the date of the last notice sent to the Property owner.
- I. **CLOTHESLINES-**See Addendum B for clothesline specifications.

- J. **HOME BASED BUSINESSES:** Homeowner's are allowed to engage in a Home-Based business under the following criteria and subject to Board approval:
1. That no person shall be engaged in the conduct of the Home-Based Business unless such person resides on the premises and that the premises shall be the primary residence for each of the person's engaged in the occupation.
 2. That the use of the premises for the Home-Based Business shall be clearly incidental and subordinate to its use for residential purposes by its occupants and shall, under no circumstances, change the residential character there of.
 3. That there shall be no change in the outside appearance of the building or premises or other visible evidence of the conduct of the Home-Based Business.
 4. That there shall call upon the premises in connection with the Home-Based Business in a greater volume than the traffic typical in the subject residential neighborhood and limited to one visit **at a** time. A visitor in connection with the Home-Based Business must **park** only in the driveway of the residence.
 5. That there shall be no flammable or hazardous material stored on premises and no equipment or process shall be used in the home occupation which creates noise, vibration, glare, flames' odors or electrical interference detectable to the normal sense of the lot;
 6. That the activities of the Home-Based Business shall occur entirely within dwelling unit, excluding accessory structures such as garages or sheds.
 7. That the Home-Based Business shall not occupy more than twenty-five percent (25%) of the gross floor area of the dwelling unit, exclusive of the area of an open porch or attached garage or similar space not suited or intended for occupancy as living quarters.
 8. Pick up or deliveries of any kind required by and made on the premises of the Home-Based Business not exceed one business delivery per day.
 9. That any supplies stored on the premises shall be for the purpose of maintaining and operating the Home-Based Business.
 10. That the Home-Based Business shall not be advertised through signage of any kind placed on the property or building including vehicles on the property or street identifying the Home-Based Business.
- K. Fence applications must be accompanied by a copy of the property survey, with the proposed location of the fence and all gates drawn in, a description and color of the desired fence style.
- L. All other applications must be accompanied by a drawing or artist rendering of the planned alteration.
- M. Applications to paint the exterior of the home must be accompanied by color samples, as well as a color photo of your home, the homes on either side and the home directly across the street. All paint colors must be selected from Addendum D. Color selection books are available for viewing, contact management for more information, or you may view during ARC committee meetings. All proposed color selections will be reviewed by the ARC and the ARC may use its discretion to determine if the combination of selections will fit in with the community's overall appearance. The committee may also use its discretion to determine if a combination of color selections will coordinate appropriately with the surrounding homes. The committee has the authority to deny or approve all color selections. Stains for wood front doors will be considered on a case by case basis.

- N. In the Legacy section of Heritage Landing, there is no parking on the street permitted Monday through Sunday from the hours of 12AM until 7AM. (overnight)
- O. Members of the ARC and/or Management Company reserve the right to inspect the changes approved for compliance to the application. If the inspection requires the Association's agents and assigns to enter upon any lot, they shall have the right to do so. The inspector will provide to the homeowner written notice at least fifteen (15) days in advance of an "on lot" inspection is needed with every attempt to mutually agree on date and time of inspection. After 15 days of notice, homeowner forfeits all rights to participate in inspection scheduling.
- P. Homeowners shall provide 7 days advance notice to the association management company if they intend to bring legal counsel to a Board, ARC, or Enforcement Committee Meeting.
- Q. Fines for Architectural violations such as, but not limited to changing landscaping, fence installations, swimming pools, or any other exterior change requiring ARC approval may be imposed up to \$100 per day to an aggregate total of \$10,000 for each violation.
- R. Driveways/Walkways leading to the home may be stained a shade of natural concrete color, to be reviewed by the ARC. Sidewalks may not be painted.

Addendum A

Mailbox Specifications



4 X 4 X 72 INCH BLACK POST - FLAT BLACK RUSTOLEUM PAINT

Paint Standard Black Mailbox with Standard Accompanying Flag

Silver 4-inch brushed nickel-plated numbers, to be placed vertically on both sides of post. Top of pt number shall line up with the bottom of the mailbox and numbers shall be within $\frac{1}{4}$ of each other as they go down the sides of the post. For double mailboxes located on a single post - only one set of numbers shall be required for each mailbox. Numbers for the mailbox on the Right shall be on the Right Side of the post. Numbers for the mailbox on the Left shall be on the Left Side of the post. No ball or finial of any type on top of post.

Plantings around the mailboxes is permitted however the plantings must be maintained so that the numbers on both sides of the mailbox are always within view for emergency vehicle house identification.

If/When a new box is needed: ARC recommended mailbox:



Architectural Mailboxes 10-In x 11-1/4--In - ! bi

Addendum B

OUTDOOR CLOTHESLINE SYSTEMS

1.0 General

1.1 As herein used, the term Outdoor Clothesline Systems shall include:

- Pole-to-pole clotheslines,
- Fixed head rotary clotheslines
- Folding rotary clothesline,
- Retractable clothesline,
- Wall mounted dryingracks,
- Fold down dryingracks,
- Window mountable clothing drying racks, and
- Other systems designed for the outdoor drying of clothes

1.2 Florida Statute ("FS") 163.04 gives homeowners the right to install energy devices based on renewable resources with no responsibility regarding the impact on neighbors, or community.

1.3 FS 163.04 gives bounded authority to the Homeowners Association ("Association") to oversee the location, size, and installation of Outdoor Clothesline Systems.

1.4 In addition to supporting the use of renewable energy sources, the Association is also interested in the aesthetics and hurricane preparedness of the community.

1.5 This Standard and Guideline gives consideration the board set of considerations associated with living in a covenant restricted community while ensuring the homeowners rights under FS 163.04.

2.0 Approval Required Prior to Installation

2.1 Outdoor Clothesline Systems require approval of the Architectural Review Committee ("ARC") prior to the commencement of work.

2.1.1 This requirement is applicable to both initial installations and modification of existing installation where the size, location or type of Outdoor Clothesline System is affected.

Addendum B(Cont.)

2.1.2 ARC approval is not required for "like-for-like" replacement of Outdoor Clothesline Systems so long as the size, location or type of Outdoor System is not affected.

2.2 Application shall be made using forms prescribed by the ARC.

2.3 Application to the ARC shall include at a minimum:

2.3.1 A complete and signed application form.

2.3.2 A sketch description of where the Outdoor Clothesline System will be located.

2.3.3 A description of the type and dimensions of the Outdoor Clothesline System being installed.

3.0 Installation Requirements

3.1 All materials shall meet or exceed applicable building codes in effect at the time of installation.

3.2 To the extent possible, without materially affecting system operation, Outdoor Clothesline System shall not be visible from the street in front of the house.

3.3 No Outdoor Clothesline System shall be permanently installed in a setback area.


3.4 No Outdoor Clothesline System shall be attached to trees, the perimeter wall or anything else not specifically designed for use as part of an Outdoor Clothesline System.

3.5 Prior to digging, the Owner shall ensure compliance with FS Chapter 556, Underground Facility Damage Prevention and Safety.

3.6 Ground mounted supports, not visible from the street, should be installed using a sleeve so that the support may be removed, if necessary (refer to Diagram A below). In consideration to neighboring homes, it is recommended supports be removed and stored out of sight when not in use.

3.7 Ground mounted supports, visible from the street, **MUST** be installed using a sleeve so that the support is removable (see Diagram A). Supports visible from the street **MUST** be removed and stored out of sight when not in use.

Addendum B(Cont.)



Set support to the depth recommended in manufactures instructions.

4.0 Use

Items being dried must be removed by dusk. No items are permitted to remain on an Outdoor Clothesline System overnight.

S.O No Liability

- 5.1 As provided in the Covenants and Restrictions, no review or approval by the ARC shall imply or be deemed to constitute by the ARC, nor impose upon the ARC, the Association, or any other party, any liability for the design or construction of building elements, including, but not limited to, structural integrity or life and safety requirements.
- 5.2 The scope of any such review and approval by the ARC is limited solely to whether the respective plans or work meet certain requirements, standards, and guidelines relating to aesthetics and the harmony and compatibility of proposed improvements in the Community.
- 5.3 No review or approval will be for any other person or purpose, and no person shall have any right to rely thereon, and any review or approval by the ARC will create no liability whatsoever of the ARC or the Association to any other person or party whatsoever.

6.0 No Effect on Governmental Requirements

- 6.1 Approval by the ARC shall not relieve the Property Owner of the requirement, if any, to secure necessary permits, authorizations, inspections, ect., required by any governmental body or organization.
- 6.2 Further, by approving an application, neither the ARC nor the Association, is taking a position with regard to the appropriateness, completeness, sufficiency, format or any other standard the acceptability if any filing made with a governmental body or organization.

Addendum C

GUIDELINES FOR AUXILIARY STRUCTURE CONSTRUCTION

Location:

- Auxiliary structure must be located at the rear of the home.
- The structure shall be in compliance with the county land and Development Code and setback requirements.
- Lake Front Lots and Lake Abutment lots at no time, shall the position or location of the shed or structure block or interfere with lake views.

Size:

- The outer size of the auxiliary structure shall not exceed a maximum of two hundred fifty-six square feet (256 Sq. Ft.); however, the structure also cannot exceed five percent (5%) of the rear lawn area.
- Shed must have a pitched roof, no flat roofs will be allowed.
- Wall height shall not exceed eight feet (8Ft.) at gutter or drip edge.

Materials:

- Siding must match the color of the home. No metal or aluminum siding will be allowed.
- Roof shingles must be the same material as the home.
- Door may be single or double entry and may be made from solid wood, fiberglass, or insulated metal.
- Auxiliary structure shall be constructed on a four inch (4") concrete slab.
- Windows, if used, shall be proportioned to the size of the structure.

Color Scheme:

- Exterior color of the structure shall be the same color theme as the home.
- Roofing and soffits shall be the same color as the home.

Landscaping:

- If the property does not have a privacy fence, landscape plans as per the Rules and Regulations for landscaping (2. Site-3. landscaping - e: Mulch & Flower Beds and g: Recommended Plant list) must be submitted with the ARC application.

- No change in grade will be made which will affect drainage of the home site or adjacent lots.

Other Guidelines:

- Building permits must be obtained as required by law and are the responsibility of the homeowner.
- Any utilities to auxiliary structure shall be located underground.
- Wall decor, satellite dishes, etc. may not be attached to the structure
- Auxiliary structure shall be a permanent structure.
- All auxiliary structures are subject to ARC approval.

Addendum D

Downspout Extensions

- Maximum length: 5 feet.
- Must be unobtrusive and inconspicuous, blending into surrounding landscape and structure: green, brown, or beige, white



Downspout Splash Block

- Standard size, not to exceed 16" x 24".
- Color must match existing area where it is to be placed: green in grass, brown in rock, etc.



French Drain

- For drainage needs exceeding 5 feet maximum length noted under Downspout Extensions.
- Must be buried.
- Pop-up outlet allowed, must be at ground level.
- Must be located within resident's property line in its entirety.
- May not impede neighboring drainage.

Your Garage Door Must Match Either Your Body Color or Trim Color

BODY COLOR	SHUTTER/DOOR OPTIONS		TRIM OPTIONS	
ACCESSIBLE BEIGE-7036	ACACIA HAZE-9132	MAREA BAJA-9185	CLASSIC LIGHT BUFF-0050	
	ANONYMOUS-7046	MOSCOW MIDNIGHT-9142	CLASSICAL WHITE-2829	
	BLACK FOX-7020	NAVAL-6244	INCREDIBLE WHITE-7028	
	BUNGHOUSE BLUE-0048	NEEDLEPOINT NAVY-0032	MODERATE WHITE-6140	
	CORDOVAN-6027	RIVERWAY-6222	MUSLIN-6133	
	CRABBY APPLE-7592	ROYCROFT BOTTLE GREEN-2847	PURE WHITE-7005	
	DEEP SEA DIVE-7618	SMOKEY BLUE-7604	WHITE HYACINTH-0046	
	DELFT-9134	STILL WATER-6223	EXTRA WHITE- 7006	
	ENDLESS SEA-9150	TEMPE STAR-6229		
	GARDEN GATE-6167	TRICORN BLACK-6258		
	GRANITE PEAK-6250	WATERLOO-9141		
	GRAYS HARBOR-6236			
	BALANCED BEIGE-7037	BLACK FOX-7020	NAVAL-6244	CLASSIC LIGHT BUFF-0050
BUNGHOUSE BLUE-0048		RIVERWAY-6222	CLASSICAL WHITE-2829	
CORDOVAN-6027		ROOKWOOD SHUTTER GREEN-2809	EIDER WHITE-7014	
CRABBY APPLE-7592		ROYCROFT BOTTLE GREEN-2847	INCREDIBLE WHITE-7028	
DEEP SEA DIVE-7618		ROYCROFT PEWTER-2848	MODERATE WHITE-6140	
ENDLESS SEA-9150		STILL WATER-6223	NATURAL CHOICE-7011	
GRAYS HARBOR-6236		TEMPE STAR-6229	NEUTRAL GROUND-7568	
MAREA BAJA-9185		TRICORN BLACK-6258	PACER WHITE-6098	
MOSCOW MIDNIGHT-9142			PURE WHITE-7005	
			EXTRA WHITE-7006	
DOWNING SAND-2822		BLACK FOX-7020	MOSCOW MIDNIGHT-9142	CLASSIC LIGHT BUFF-0050

	BUNGLEHOUSE BLUE-0048	NEEDLEPOINT NAVY-0032	CLASSICAL WHITE-2829
	CORDOVAN-6027	PEWTER GREEN-6208	MODERATE WHITE-6140
	CRABBY APPLE-7592	RIVERWAY-6222	MUSLIN-6133
	DEEP SEA DIVE-7618	ROCK GARDEN-6195	NATURAL CHOICE-7011
	DELFT-9134	ROOKWOOD SHUTTER GREEN-2809	PACER WHITE-6098
	ENDLESS SEA-9150	ROYCROFT BOTTLE GREEN-2847	PURE WHITE-7005
	MAREA BAJA-9185	SMOKEY BLUE-7604	EXTRA WHITE-7006
		STILL WATER-6223	
		TEMPE STAR-6229	
		TRICORN BLACK-6258	
		WATERLOO-9141	

FAMILIAR BEIGE-6093	BUNGLEHOUSE BLUE-0048	NEEDLEPOINT NAVY-0032	CANVAS TAN-7531
	DEEP SEA DIVE-7618	RIVERWAY-6222	CLASSIC LIGHT BUFF-0050
	ENDLESS SEA-9150	SMOKEY BLUE-7604	CLASSICAL WHITE-2829
	MAREA BAJA-9185	STILL WATER-6223	MODERATE WHITE-6140
	MOSCOW MIDNIGHT-9142	TRICORN BLACK-6258	MUSLIN-6133
	NAVAL-6244	WATERLOO-9141	NATURAL CHOICE-7011
			NEUTRAL GROUND-7568
			PACER WHITE-6098
			PURE WHITE-7005
			WHITE HYACINTH-0046
			EXTRA WHITE-7006

FAVORITE TAN-6157	BLACK FOX-7020	RIVERWAY-6222	CANVAS TAN-7531
	BUNGLEHOUSE BLUE-0048	ROOKWOOD SHUTTER GREEN-2809	CLASSIC LIGHT BUFF-0050
	MOSCOW MIDNIGHT-9142	ROYCROFT BOTTLE GREEN-2847	CLASSICAL WHITE-2829
	NEEDLEPOINT NAVY-0032	SMOKEY BLUE-7604	INCREDIBLE WHITE-7028
		STILL WATER-6223	MODERATE WHITE-6140

		TEMPE STAR-6229	NATURAL CHOICE-7011
		TRICORN BLACK-6258	NEUTRAL GROUND-7568
		WATERLOO-9141	PACER WHITE-6098
			PURE WHITE-7005
			EXTRA WHITE-7006
NATURAL CHOICE-7011	ACACIA HAZE-9132	NAVAL-6244	LATTE-6108
	ANONYMOUS-7046	NEEDLEPOINT NAVY-0032	MODERATE WHITE-6140
	AQUA-SPHERE-7613	PEWTER GREEN-6208	MUSLIN-6133
	BLACK FOX-7020	QUIVER TAN-6151	RAMIE-6156
	BUNGLEHOUSE BLUE-0048	RIVERWAY-6222	WOOL SKEIN-6148
	CITYSCAPE-7067	ROCK GARDEN-6195	EXTRA WHITE-7006
	CORDOVAN-6027	ROOKWOOD DARK GREEN-2816	
	CRABBY APPLE-7592	ROYCROFT BOTTLE GREEN-2847	
	DEEP SEA DIVE-7618	ROYCROFT PEWTER-2848	
	DELFT-9134	SMOKEY BLUE-7604	
	DOCKSIDE BLUE-7601	STILL WATER-6223	
	FRENCH ROAST-6069	TEMPE STAR-6229	
	GRANITE PEAK-6250	TRICORN BLACK-6258	
	GRAYS HARBOR-6236	VIRTUAL TAUPE-7039	
	HERBAL WASH-7739	WATERLOO-9141	
OUTERBANKS-7534	BLACK FOX-7020	MOSCOW MIDNIGHT-9142	CANVAS TAN-7531
	BUNGLEHOUSE BLUE-0048	NAVAL-6244	CLASSIC LIGHT BUFF-0050
	CORDOVAN-6027	NEEDLEPOINT NAVY-0032	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	PEWTER GREEN-6208	MODERATE WHITE-6140
	DEEP SEA DIVE-7618	RIVERWAY-6222	MUSLIN-6133

	ENDLESS SEA-9150	ROCK GARDEN-6195	NATURAL CHOICE-7011
	FRENCH ROAST-6069	ROOKWOOD DARK GREEN-2816	NEUTRAL GROUND-7568
	GARDEN GATE-6167	ROOKWOOD SHUTTER GREEN-2809	PACER WHITE-6098
	MAREA BAJA-9185	ROYCROFT BOTTLE GREEN-2847	PURE WHITE-7005
		SMOKEY BLUE-7604	EXTRA WHITE-7006
		STILL WATER-6223	
		TEMPE STAR-6229	
		TRICORN BLACK-6258	
		WATERLOO-9141	
NOMADIC DESERT-6107	BLACK FOX-7020	PEWTER GREEN-6208	CANVAS TAN-7531
	BUNGLEHOUSE BLUE-0048	RIVERWAY-6222	CLASSIC LIGHT BUFF-0050
	CORDOVAN-6027	ROCK GARDEN-6195	EIDER WHITE-7014
	DEEP SEA DIVE-7618	ROOKWOOD DARK GREEN-2816	INCREDIBLE WHITE-7028
	ENDLESS SEA-9150	ROOKWOOD SHUTTER GREEN-2809	MODERATE WHITE-6140
	GARDEN GATE-6167	ROYCROFT BOTTLE GREEN-2847	MUSLIN-6133
	MAREA BAJA-9185	SMOKEY BLUE-7604	NATURAL CHOICE-7011
	MOSCOW MIDNIGHT -9142	STILL WATER-6223	NEUTRAL GROUND-7568
	NAVAL-6244	TEMPE STAR-6229	PACER WHITE-6098
	NEEDLEPOINT NAVY-0032	TRICORN BLACK-6258	PURE WHITE-7005
		VIRTUAL TAUPE-7039	EXTRA WHITE-7006
		WATERLOO-9141	
SAND BEACH-7529	ANONYMOUS-7046	MAREA BAJA-9185	CLASSIC LIGHT BUFF-0050
	AQUA-SPHERE-7613	MOSCOW MIDNIGHT-9142	CLASSICAL WHITE-2829
	BLACK FOX-7020	NAVAL-6244	NATURAL CHOICE-7011
	BUNGLEHOUSE BLUE-0048	NEEDLEPOINT NAVY-0032	PURE WHITE-7005

	CORDOVAN-6027	ROYCROFT BOTTLE GREEN-2847	EXTRA WHITE-7006
	CRABBY APPLE-7592	SMOKEY BLUE-7604	
	FRENCH ROAST-6069	STILL WATER-6223	
	GARDEN GATE-6167	TEMPE STAR-6229	
	GRANITE PEAK-6250	TRICORN BLACK-6258	
TONY TAUPE-7038	BLACK FOX-7020	NEEDLEPOINT NAVY-0032	CANVAS TAN-7531
	BUNGLEHOUSE BLUE-0048	ROOKWOOD SHUTTER GREEN-2809	CLASSIC LIGHT BUFF-0050
	CORDOVAN-6027	ROYCROFT BOTTLE GREEN-2847	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	STILL WATER-6223	MODERATE WHITE-6140
	DEEP SEA DIVE-7618	TEMPE STAR-6229	NATURAL CHOICE-7011
	FRENCH ROAST-6069		NEUTRAL GROUND-7568
	MOSCOW MIDNIGHT-9142		PACER WHITE-6098
			PURE WHITE-7005
			EXTRA WHITE-7006
UNIVERSAL KHAKI-6150	BLACK FOX-7020	NEEDLEPOINT NAVY-0032	CANVAS TAN-7531
	BUNGLEHOUSE BLUE-0048	PEWTER GREEN-6208	CLASSIC LIGHT BUFF-0050
	CORDOVAN-6027	RIVERWAY-6222	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	ROCK GARDEN-6195	MODERATE WHITE-6140
	DEEP SEA DIVE-7618	ROOKWOOD DARK GREEN-2816	NATURAL CHOICE-7011
	ENDLESS SEA-9150	ROOKWOOD SHUTTER GREEN-2809	NEUTRAL GROUND-7568
	GARDEN GATE-6167	ROYCROFT BOTTLE GREEN-2847	PACER WHITE-6098
	MAREA BAJA-9185	SMOKEY BLUE-7604	PURE WHITE-7005
	MOSCOW MIDNIGHT-9142	STILL WATER-6223	EXTRA WHITE-7006
	NAVAL-6244	TEMPE STAR-6229	
		TRICORN BLACK-6258	
		WATERLOO-9141	

ANALYTICAL GRAY-7051	BLACK FOX-7020	NAVAL-6244	CLASSIC LIGHT BUFF-0050
	BUNGLEHOUSE BLUE-0048	NEEDLEPOINT NAVY-0032	EIDER WHITE-7014
	CITYSCAPE-7067	RIVERWAY-6222	INCREDIBLE WHITE-7028
	CORDOVAN-6027	ROOKWOOD SHUTTER GREEN-2809	NATURAL CHOICE-7011
	CRABBY APPLE-7592	ROYCROFT BOTTLE GREEN-2847	NEUTRAL GROUND-7568
	DEEP SEA DIVE-7618	ROYCROFT PEWTER-2848	PACER WHITE-6098
	DELFT-9134	SMOKEY BLUE-7604	PURE WHITE-7005
	ENDLESS SEA-9150	STILL WATER-6223	EXTRA WHITE-7006
	GRANITE PEAK-6250	TEMPE STAR-6229	
	GRAYS HARBOR-6236	TRICORN BLACK-6258	
	MAREA BAJA-9185	WATERLOO-9141	
	MOSCOW MIDNIGHT-9142		
CITYSCAPE-7067	TRICORN BLACK-6258		EIDER WHITE-7014
	CORDOVAN-6027		PURE WHITE-7005
	DELFT-9134		EXTRA WHITE-7006
	ENDLESS SEA-9150		REPOSE GRAY-7015
	NAVAL-6244		INCREDIBLE WHITE-7028
	STILL WATER-6223		AGGREEABLE GREY-7029
			PASSIVE-7064
CLASSIC FRENCH GRAY-0077	BUNGLEHOUSE BLUE-0048	NAVAL-6244	EIDER WHITE-7014
	CORDOVAN-6027	STILL WATER-6223	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	TRICORN BLACK-6258	NATURAL CHOICE-7011
	DELFT-9134		NEUTRAL GROUND-7568
	ENDLESS SEA-9150		PACER WHITE-6098
			PURE WHITE-7005
			WOOL SKEIN-6148

			EXTRA WHITE-7006
			SNOWFALL-6000
			GRAYISH-6001
			PASSIVE-7064
			REPOSE GRAY-7015
DORIAN GRAY-7017	BLACK FOX-7020	MOSCOW MIDNIGHT-9142	CLASSIC LIGHT BUFF-0050
	BUNGLEHOUSE BLUE-0048	NAVAL-6244	EIDER WHITE-7014
	CORDOVAN-6027	NEEDLEPOINT NAVY-0032	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	RIVERWAY-6222	NATURAL CHOICE-7011
	DEEP SEA DIVE-7618	ROOKWOOD SHUTTER GREEN-2809	NEUTRAL GROUND-7568
	DELFT-9134	ROYCROFT BOTTLE GREEN-2847	PACER WHITE-6098
	DOCKSIDE BLUE-7601	SMOKEY BLUE-7604	PURE WHITE-7005
	ENDLESS SEA-9150	STILL WATER-6223	EXTRA WHITE-7006
	GRANITE PEAK-6250	TEMPE STAR-6229	SNOWFALL-6000
	GRAYS HARBOR-6236	TRICORN BLACK-6258	NUANCE-7049
	MAREA BAJA-9185	WATERLOO-9141	
DOVETAIL-7018	BUNGLEHOUSE BLUE-0048	RIVERWAY-6222	CLASSIC LIGHT BUFF-0050
	MOSCOW MIDNIGHT-9142	ROOKWOOD SHUTTER GREEN-2809	EIDER WHITE-7014
	NAVAL-6244	SMOKEY BLUE-7604	INCREDIBLE WHITE-7028
	NEEDLEPOINT NAVY-0032	STILL WATER-6223	NATURAL CHOICE-7011
	REPOSE GRAY-7015	TEMPE STAR-6229	NEUTRAL GROUND-7568
		TRICORN BLACK-6258	PACER WHITE-6098
		WATERLOO-9141	PURE WHITE-7005
			WOOL SKEIN-6148
			EXTRA WHITE-7006
			SNOWFALL-6000
			GRAYISH-6001

ESSENTIAL GRAY-6002	BUNGLEHOUSE BLUE-0048	MOSCOW MIDNIGHT-9142	EIDER WHITE-7014
	CORDOVAN-6027	NAVAL-6244	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	NEEDLEPOINT NAVY-0032	PURE WHITE-7005
	DEEP SEA DIVE-7618	RIVERWAY-6222	EXTRA WHITE-7006
	DOCKSIDE BLUE-7601	ROYCROFT PEWTER-2848	SNOWFALL-6000
	ENDLESS SEA-9150	SMOKEY BLUE-7604	
	GRANITE PEAK-6250	STILL WATER-6223	
	GRAYS HARBOR-6236	TEMPE STAR-6229	
	MAREA BAJA-9185	TRICORN BLACK-6258	
		WATERLOO-9141	
FUNCTIONAL GRAY-7024	BLACK FOX-7020	MOSCOW MIDNIGHT-9142	CLASSIC LIGHT BUFF-0050
	BUNGLEHOUSE BLUE-0048	NAVAL-6244	EIDER WHITE-7014
	CORDOVAN-6027	NEEDLEPOINT NAVY-0032	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	RIVERWAY-6222	NATURAL CHOICE-7011
	DEEP SEA DIVE-7618	ROOKWOOD SHUTTER GREEN-2809	PACER WHITE-6098
	ENDLESS SEA-9150	ROYCROFT PEWTER-2848	PURE WHITE-7005
	GRANITE PEAK-6250	SMOKEY BLUE-7604	EXTRA WHITE-7006
	GRAYS HARBOR-6236	STILL WATER-6223	SNOWFALL-6000
	MAREA BAJA-9185	TEMPE STAR-6229	
		TRICORN BLACK-6258	
		WATERLOO-9141	
GATEWAY GRAY-7644	BLACK FOX-7020	NEEDLEPOINT NAVY-0032	CLASSIC LIGHT BUFF-0050
	BUNGLEHOUSE BLUE-0048	RIVERWAY-6222	EIDER WHITE-7014
	CORDOVAN-6027	ROOKWOOD SHUTTER GREEN-2809	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	SMOKEY BLUE-7604	NEUTRAL GROUND-7568
	DEEP SEA DIVE-7618	STILL WATER-6223	PACER WHITE-6098

	ENDLESS SEA-9150	TEMPE STAR-6229	PURE WHITE-7005
	MAREA BAJA-9185	TRICORN BLACK-6258	EXTRA WHITE-7006
	MOSCOW MIDNIGHT-9142	WATERLOO-9141	NUANCE-7049
	NAVAL-6244		AESTHETIC WHITE-7035
MORNING FOG-6255	BUNGLEHOUSE BLUE-0048	RIVERWAY-6222	CLASSIC LIGHT BUFF-0050
	CORDOVAN-6027	ROYCROFT PEWTER-2848	EIDER WHITE-7014
	CRABBY APPLE-7592	SMOKEY BLUE-7604	INCREDIBLE WHITE-7028
	DEEP SEA DIVE-7618	STILL WATER-6223	NATURAL CHOICE-7011
	ENDLESS SEA-9150	TEMPE STAR-6229	NEUTRAL GROUND-7568
	GRANITE PEAK-6250	TRICORN BLACK-6258	PACER WHITE-6098
	GRAYS HARBOR-6236	WATERLOO-9141	PURE WHITE-7005
	MAREA BAJA-9185		EXTRA WHITE-7006
	MOSCOW MIDNIGHT-9142		SNOWFALL-6000
	NAVAL-6244		SITE WHITE-7070
	NEEDLEPOINT NAVY-0032		
PASSIVE-7064	BUNGLEHOUSE BLUE-0048	MOSCOW MIDNIGHT-9142	CLASSIC LIGHT BUFF-0050
	CITYSCAPE-7067	NAVAL-6244	INCREDIBLE WHITE-7028
	CORDOVAN-6027	NEEDLEPOINT NAVY-0032	PURE WHITE-7005
	CRABBY APPLE-7592	PEWTER GREEN-6208	EXTRA WHITE-7006
	DEEP SEA DIVE-7618	RIVERWAY-6222	
	ENDLESS SEA-9150	ROCK GARDEN-6195	
	GRANITE PEAK-6250	ROOKWOOD SHUTTER GREEN-2809	
	GRAYS HARBOR-6236	ROYCROFT BOTTLE GREEN-2847	
	MAREA BAJA-9185	ROYCROFT PEWTER-2848	
		SMOKEY BLUE-7604	
		STILL WATER-6223	
		TEMPE STAR-6229	
		TRICORN BLACK-6258	

		WATERLOO-9141	
PERFECT GRIEGE-6073	BLACK FOX-7020	MAREA BAJA-9185	CANVAS TAN-7531
	BUNGLEHOUSE BLUE-0048	MOSCOW MIDNIGHT-9142	CLASSIC LIGHT BUFF-0050
	CITYSCAPE-7067	NAVAL-6244	EIDER WHITE-7014
	CORDOVAN-6027	NEEDLEPOINT NAVY-0032	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	PEWTER GREEN-6208	MODERATE WHITE-6140
	DEEP SEA DIVE-7618	RIVERWAY-6222	NATURAL CHOICE-7011
	ENDLESS SEA-9150	ROCK GARDEN-6195	NEUTRAL GROUND-7568
	FRENCH ROAST-6069	ROCKWOOD DARK GREEN-2816	PACER WHITE-6098
	GARDEN GATE-6167	ROOKWOOD SHUTTER GREEN-2809	PURE WHITE-7005
	GRANITE PEAK-6250	ROYCROFT BOTTLE GREEN-2847	EXTRA WHITE-7006
	GRAYS HARBOR-6236	ROYCROFT PEWTER-2848	
		SMOKEY BLUE-7604	
		STILL WATER-6223	
		TEMPE STAR-6229	
		TRICORN BLACK-6258	
		WATERLOO-9141	
PEWTER TANKARD-0023	BLACK FOX-7020	RIVERWAY-6222	CANVAS TAN-7531
	BUNGLEHOUSE BLUE-0048	ROCK GARDEN-6195	CLASSIC LIGHT BUFF-0050
	CORDOVAN-6027	ROOKWOOD DARK GREEN-2816	EIDER WHITE-7014
	CRABBY APPLE-7592	ROOKWOOD SHUTTER GREEN-2809	INCREDIBLE WHITE-7028
	DEEP SEA DIVE-7618	ROYCROFT BOTTLE GREEN-2847	NATURAL CHOICE-7011
	DELFT-9134	ROYCROFT PEWTER-2848	NEUTRAL GROUND-7568
	ENDLESS SEA-9150	SMOKEY BLUE-7604	PACER WHITE-6098
	MAREA BAJA-9185	STILL WATER-6223	PURE WHITE-7005

	MOSCOW MIDNIGHT-9142	TEMPE STAR-6229	WOOL SKEIN-6148
	NAVAL-6244	TRICORN BLACK-6258	EXTRA WHITE-7006
	NEEDLEPOINT NAVY-0032	WATERLOO-9141	
REPOSE GRAY-7015	ACACIA HAZE-9132	GRANITE PEAK-6250	PURE WHITE-7005
	ANONYMOUS-7046	GRAYS HARBOR-6236	EXTRA WHITE-7006
	BLACK FOX-7020	MAREA BAJA-9185	
	BUNGLEHOUSE BLUE-0048	MOSCOW MIDNIGHT-9142	
	CITYSCAPE-7067	NEEDLEPOINT NAVY-0032	
	CORDOVAN-6027	PEWTER GREEN-6208	
	CRABBY APPLE-7592	ROYCROFT PEWTER-2848	
	DEEP SEA DIVE-7618	SMOKEY BLUE-7604	
	ENDLESS SEA-9150	TRICORN BLACK-6258	
	FAIRFAX BROWN-2856		
	GARDEN GATE-6167		
REQUISITE GRAY-7023	ANONYMOUS-7046	MAREA BAJA-9185	CLASSIC LIGHT BUFF-0050
	BLACK FOX-7020	MOSCOW MIDNIGHT-9142	EIDER WHITE-7014
	BUNGLEHOUSE BLUE-0048	NEEDLEPOINT NAVY-0032	INCREDIBLE WHITE-7028
	CITYSCAPE-7067	PEWTER GREEN-6208	NATURAL CHOICE-7011
	CORDOVAN-6027	RIVERWAY-6222	NEUTRAL GROUND-7568
	CRABBY APPLE-7592	ROCK GARDEN-6195	PACER WHITE-6098
	DEEP SEA DIVE-7618	ROOKWOOD DARK GREEN-2816	PURE WHITE-7005
	ENDLESS SEA-9150	ROOKWOOD SHUTTER GREEN-2809	EXTRA WHITE-7006
	GARDEN GATE-6167	ROYCROFT BOTTLE GREEN-2847	SIMPLE WHITE-7021
	GRANITE PEAK-6250	ROYCROFT PEWTER-2848	
	GRAYS HARBOR-6236	STILL WATER-6223	
		TEMPE STAR-6229	
		TRICORN BLACK-6258	

		WATERLOO-9141	
CHATROOM-6171	BLACK FOX-7020	NEEDLEPOINT NAVY-0032	CLASSIC LIGHT BUFF-0050
	BUNGLEHOUSE BLUE-0048	RIVERWAY-6222	EIDER WHITE-7014
	CORDOVAN-6027	ROCK GARDEN-6195	INCREDIBLE WHITE-7028
	CRABBY APPLE-7592	ROCKWOOD DARK GREEN-2816	NATURAL CHOICE-7011
	DEEP SEA DIVE-7618	ROCKWOOD SHUTTER GREEN-2809	NEUTRAL GROUND-7568
	ENDLESS SEA-9150	ROYCROFT BOTTLE GREEN-2847	PACER WHITE-6098
	GARDEN GATE-6167	SMOKEY BLUE-7604	PURE WHITE-7005
	GRAYS HARBOR-6236	STILL WATER-6223	WOOL SKEIN-6148
	MAREA BAJA-9185	TEMPE STAR-6229	EXTRA WHITE-7006
	MOSCOW MIDNIGHT-9142	TRICORN BLACK-6258	
	NAVAL-6244	WATERLOO-9141	
SVELT SAGE-6164	BLACK FOX-7020	TRICORN BLACK-6258	CLASSIC LIGHT BUFF-0050
	CORDOVAN-6027		INCREDIBLE WHITE-7028
	CRABBY APPLE-7592		NATURAL CHOICE-7011
	ROCKWOOD DK GREEN-2816		PACER WHITE-6098
	ROYCROFT BOTTLE GRN-2847		PURE WHITE-7005
BREEZY-7616	BUNGLEHOUSE BLUE-0048	NEEDLEPOINT NAVY-0032	EIDER WHITE-7014
	GRAYS HARBOR-6236	TEMPE STAR-6229	INCREDIBLE WHITE-7028
	MAREA BAJA-9185	TRICORN BLACK-6258	NATURAL CHOICE-7011
		WATERLOO-9141	PACER WHITE-6098
			PURE WHITE-7005
			EXTRA WHITE-7006
			REPOSE GRAY-7015
			PASSIVE-7064

			CITYSCAPE-7067
BISCUIT-6112	ANONYMOUS-7046	PEWTER GREEN-6208	PURE WHITE-7005
	BLACK FOX-7020	RIVERWAY-6222	EXTRA WHITE-7006
	BUNGLEHOUSE BLUE-0048	ROCK GARDEN-6195	
	CORDOVAN-6027	ROOKWOOD SHUTTER GREEN-2809	
	CRABBY APPLE-7592	SMOKEY BLUE-7604	
	ENDLESS SEA-9150	STILL WATER-6223	
	MAREA BAJA-9185	TEMPE STAR-6229	
	MOSCOW MIDNIGHT-9142	TRICORN BLACK-6258	
	NAVAL-6244	WATERLOO-9141	
	NEEDLEPOINT NAVY-0032		
PEACE YELLOW-2857	BLACK FOX-7020	TRICORN BLACK-6258	CLASSIC LIGHT BUFF-0050
	CORDOVAN-6027		PURE WHITE-7005
	CRABBY APPLE-7592		EXTRA WHITE-7006
ANTIQUE WHITE-6119	BLACK FOX-7020	MOSCOW MIDNIGHT-9142	PURE WHITE-7005
	BUNGLEHOUSE BLUE-0048	NAVAL-6244	EXTRA WHITE-7006
	CORDOVAN-6027	NEEDLEPOINT NAVY-0032	
	CRABBY APPLE-7592	ROOKWOOD SHUTTER GREEN-2809	
	DEEP SEA DIVE-7618	ROYCROFT BOTTLE GREEN-2847	
	ENDLESS SEA-9150	SMOKEY BLUE-7604	
	MAREA BAJA-9185	STILL WATER-6223	
		TEMPE STAR-6229	
		TRICORN BLACK-6258	
		WATERLOO-9141	
CLASSIC WHITE-2829	ACACIA HAZE-9132	MAREA BAJA-9185	PURE WHITE-7005

	ANONYMOUS-7046	MOSCOW MIDNIGHT-9142	
	BLACK FOX-7020	NAVAL-6244	
	BUNGLEHOUSE BLUE-0048	NEEDLEPOINT NAVY-0032	
	CORDOVAN-6027	RIVERWAY-6222	
	DEEP SEA DIVE-7618	SMOKEY BLUE-7604	
	ENDLESS SEA-9150	STILL WATER-6223	
	GARDEN GATE-6167	TEMPE STAR-6229	
		TRICORN BLACK-6258	
		WATERLOO-9141	
NACRE-6154	ACACIA HAZE-9132	MAREA BAJA-9185	CANVAS TAN-7531
	ANONYMOUS-7046	NAVAL-6244	LATTE-6108
	BLACK FOX-7020	NEEDLEPOINT NAVY-0032	RAMIE-6156
	BUNGLEHOUSE BLUE-0048	OUTERBANKS-7534	
	CITYSCAPE-7067	PEWTER GREEN-6208	
	CORDOVAN-6027	QUIVER TAN-6151	
	DEEP SEA DIVE-7618	RIVERWAY-6222	
	ENDLESS SEA-9150	ROCK GARDEN-6195	
	FRENCH ROAST-6069	ROOKWOOD SHUTTER GREEN-2809	
	GARDEN GATE-6167	ROYCROFT BOTTLE GREEN-2847	
	GRANITE PEAK-6250	ROYCROFT PEWTER-2848	
	GRAYS HARBOR-6236	SMOKEY BLUE-7604	
	HERBAL WASH-7739	STILL WATER-6223	
		TEMPE STAR-6229	
		TRICORN BLACK-6258	
		VIRTUAL TAUPE-7039	
		WATERLOO-9141	